



PATENT
Attorney Docket No. P1308USA #12

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

*Supp. Amended
D. Byers
6/25/02*

In re Application of: Kuiken)
Serial No.:) Examiner: Bruce E. Snow
Filed: Filed Concurrently Herewith) Group Art Unit: 3738
For: HIGH PROFILE MULTIAXIAL)
PROSTHETIC FOOT)

PRELIMINARY AMENDMENT FILED WITH THE APPLICATION

Commissioner for Patents
Washington, DC 20231

Dear Sir:

Prior to initial examination, please amend the above-identified U.S. patent application which is being filed claiming priority to U.S. Application Serial No. 09/558,570 filed April 26, 2000 as indicated on the enclosed Amended Claims 37 CFR 1.121 (c) (3) and Amended Claims Marked to Show Changes Made 37 CFR 1.121 (c) (1) (ii).

Examination of the application as amended is respectfully requested.

Respectfully submitted,

Date: June 12, 2002

Michael R. Osterhoff, Reg. No. 46,973
GARDNER, CARTON & DOUGLAS
321 North Clark Street, Suite 3400
Chicago, IL 60610-4795
Tel: 312-644-3000
Fax: 312-644-3381